

Application No. 10/718,642
Docket No. YOR920030362US1

2

AMENDMENTS TO THE CLAIMS:

Please amend the claims as follows. Please add new claim 26.

1. (Currently Amended) A laptop computer comprising:
a first display; and
a second display attachable to the first display, wherein the second display comprises
a touch-sensitive display that displays a reconfigurable user-interface,
wherein said user-interface is reconfigurable to move a key within the user-interface,
~~remove a key from the user interface, change a label on a key on a user interface, or change a~~
~~color of a key on the user interface.~~
2. (Original) The computer of claim 1, wherein the second display is rotatably
attachable to the first display.
3. (Canceled).
4. (Previously Presented) The computer of claim 1, wherein the user-interface
comprises a keyboard.
5. (Previously Presented) The computer of claim 1, wherein the user-interface
comprises a pointing device.

Application No. 10/718,642
Docket No. YOR920030362US1

3

6. (Previously Presented) The computer of claim 1, wherein the user-interface is reconfigurable in accordance with an instruction from a software application being executed on the laptop computer.

7. (Original) The computer of claim 1, wherein the first display comprises a touch-sensitive display.

8. (Currently Amended) A method of driving a laptop computer having a first display attachable to a second display that is touch-sensitive, the method comprising:
displaying a user-interface on the second display;
receiving an input from the user-interface; and
reconfiguring the user-interface by moving a key within the user-interface, ~~removing a key from the user-interface, changing a label on a key on the user-interface, or changing a color of a key on the user-interface.~~

9. (Original) The method of claim 8, wherein the first display is rotatably attachable to the second display.

10. (Original) The method of claim 8, wherein the user-interface comprises a keyboard.

11. (Canceled).

Application No. 10/718,642
Docket No. YOR920030362US1

4

12. (Previously Presented) The method of claim 8, wherein reconfiguring the user-interface comprises reconfiguring the user-interface in response to an application state.
13. (Previously Presented) The method of claim 8, wherein reconfiguring the user-interface comprises reconfiguring the user-interface in response to a user preference.
14. (Previously Presented) The method of claim 8, wherein reconfiguring the user-interface comprises reconfiguring the user-interface in response to a user instruction.
15. (Canceled).
16. (Original) The method of claim 8, further comprising displaying a hot key that triggers the execution of a plurality of instructions in accordance with a state of the laptop computer.
17. (Original) The method of claim 8, further comprising displaying an application result.
18. (Original) The method of claim 17, wherein displaying an application result comprises displaying a first page of an electronic book on one of the first display and the second display.
19. (Original) The method of claim 18, wherein the displaying of the application

Application No. 10/718,642
Docket No. YOR920030362US1

5

result further comprises displaying a second page of an electronic book on the other one of the first display and the second display.

20. (Original) The method of claim 8, further comprising displaying a drop-down menu on the second display.

21. (Previously Presented) The method of claim 8, wherein displaying the user-interface comprises displaying a color-coded keyboard.

22. (Currently Amended) A signal-bearing medium tangibly embodying a program of machine-readable instructions executable by a digital processor for driving a laptop computer having a first display attachable to a second display that is touch-sensitive apparatus, the program comprising:

instructions for displaying a user-interface on the second display;

instructions for receiving an input from the user-interface; and

instructions for reconfiguring the user-interface by moving a key within the user-interface, ~~removing a key from the user interface, changing a label on a key on the user interface, or changing a color of a key on the user interface.~~

23. (Currently Amended) A laptop computer comprising:

~~a first display;~~

a second display that is touch sensitive and attached to the first display;

means for displaying a user-interface on the second display;

Application No. 10/718,642
Docket No. YOR920030362US1

6

means for receiving an input from the user-interface; and

means for reconfiguring the user-interface by moving a key within the user-interface;
~~removing a key from the user interface, changing a label on a key on the user interface, or~~
~~changing a color of a key on the user interface.~~

24. (Currently Amended) A method of providing a display for a laptop computer, the method comprising:

providing a first display; and

providing a second display attachable to the first display, wherein the second display comprises a touch-sensitive display that displays a reconfigurable user-interface,

wherein said user-interface is reconfigurable to move a key within the user-interface;
~~remove a key from the user interface, change a label on a key on a user interface, or change a~~
~~color of a key on the user interface.~~

25. (Currently Amended) A laptop computer comprising:

a first display; and

a second display attachable to the first display, wherein the second display comprises a customizable user-interface,

wherein said customizable user-interface is reconfigurable to move a key within the user-interface;
~~remove a key from the user interface, change a label on a key on a user~~
~~interface, or change a color of a key on the user interface.~~

26. (New) The computer of claim 1, wherein said user-interface is further

Application No. 10/718,642
Docket No. YOR920030362US1

7

reconfigurable to one of:

- remove a key from the user-interface;
- change a label on a key on a user-interface; and
- change a color of a key on the user-interface.